

surefoot ez

Concentrated Bio Active Enzyme Floor Cleaner

Product Properties

COLOR: Clear, Green ODOR: Fresh pH: 8.5 SPECIFIC GRAVITY: 1.008 SOLUBILITY IN WATER: Complete DETERGENCY: Excellent

Description

This new generation foaming cleaner and degreaser is specifically designed for use on quarry tile floors. Utilizing the latest cleaning technology, SURE-FOOT EZ_{TM} employs bioactive enzymes to digest oils and food soils without the use of harsh caustic chemicals. Its powerful surfactants and builders help penetrate the pores in quarry tile, terrazzo, marble and grout, carrying the bioactive enzymes along to accelerate cleaning. As the bioactive enzymes digest food soils, they reduce odor caused by decay. Also, the bioactive enzymes reduce slippage as they digest the oils and greases that make quarry tile slick. As an added benefit, as excess SUREFOOT EZ_{TM} is flushed down the drain, the bioactive enzymes go to work on soils and greases present in the drain. Floors cleaned with SUREFOOT EZ_{TM} provide positive traction and result in a cleaner, safer work environment.

Features...Benefits

1 oz/gal Use Dilution	Highly Economical
Bioactive Enzymes	. No Harsh Caustics
Concentrated Surfactants	.Unparalleled Cleaning Power
Improves Traction	. Safer Work Environment
Brightens Grout Lines	. Improved Sanitation Perception
No Rinse Formula	. Labor Savings

Directions

For daily cleaning of quarry tile or other porous flooring: dilute one ounce of SUREFOOT EZTM per gallon of warm water. Apply solution liberally onto floor surface with a mop and allow solution to stand on floor surface until solution penetrates soils. Agitate floor surface with mop. For heavily soiled areas use deck brush or machine scrub as needed. Squeegee excess solution toward floor drain. Discard mop water down drains to reduce grease build up and eliminate odors.

Safety Information

KEEP OUT OF REACH OF CHILDREN

CAUTION: May cause eye and skin irritation. Avoid contact with undiluted product. In case of contact with skin, wash with soap & water for 15 minutes. If irritation persists, seek medical attention. In case of contact with eyes, flush with plenty of water and seek medical attention.

Letter of guarantee available upon request.







1100 Central Industrial Dr. St. Louis, Missouri, 63110

> toll free: 800 325 9218 main: 314 771 6600 fax: 314 771 6608

www.interconchemical.com



Safety Data Sheet

		S	ection 1 - Product Info	ormation	-		
Product Name: suref	oot ez				Supplier:	Intercon Chemical Company	
roduct Code Numbe	er: 0845	Information P	hone: 1-314-771-6600		Address:	1100 Central Industrial Drive	
roduct use: Neut	ral Floor Cleaner.	ontact: CHEMTREC 1-703-741-5	5970	Audress:	St. Louis, MO 63110		
		S	ection 2 - Hazard Iden	tification			
HS classification eye	e irritant(category 2A) , sl	kin irritant (category 2					
	Here of Distances		Section 2.1 - Label Ele				
Hazard Pictograms Signal Word: Warning Hazard Statements: Causes serious eye irritation. Causes skin irritation.			Precautionary Statements: Wear eye protection and protective gloves. Wash hands and any exposed skin after handling. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothes and wash before reusin If skin irritation occurs get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy t do. Continue rinsing. If eye irritation persists, get medical attention. Wash hands after handling.				
			Section 3 - Compos	ition			
	Chemical Name		-	CAS #		Percent w/w	
odium (C10-C16)Be				081-81-2		<11	
			Section 4 - First Aid M	easures			
kin: Flush with flowi	ing water for 15 min. Con			easures			
	-	sult a physician if irrita					
	ontact, rinse with plenty	sult a physician if irrita	ation occurs				
Eyes: In case of eye c nhalation: Remove t	ontact, rinse with plenty o fresh air	sult a physician if irrita of water and seek me	ation occurs dical attention if irritation pers	ists	nouth to an unco	inscious person. Call a POISON center of	
yes: In case of eye c nhalation: Remove t NGESTION: Give mill	ontact, rinse with plenty o fresh air k or water to dilute mater	sult a physician if irrita of water and seek me	ation occurs dical attention if irritation pers	ists	nouth to an unco	nscious person. Call a POISON center or	
yes: In case of eye c nhalation: Remove t NGESTION: Give mill	ontact, rinse with plenty o fresh air k or water to dilute mater	sult a physician if irrit: of water and seek me rial. DO NOT induce vo	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a	ists give anything by n		nscious person. Call a POISON center or	
yes: In case of eye c nhalation: Remove t NGESTION: Give mill loctor if you feel unv	ontact, rinse with plenty o fresh air k or water to dilute mater well.	sult a physician if irrit. of water and seek me rial. DO NOT induce vo Section	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never p n 5 - Fire and Explosio	ists give anything by n n Hazard Dat	a	onscious person. Call a POISON center or es: Avoid exposure to fumes or vapors.	
yes: In case of eye c nhalation: Remove t NGESTION: Give mill loctor if you feel unv	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits	sult a physician if irrita of water and seek me rial. DO NOT induce vo Section E	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a	ists give anything by n n Hazard Dat Special Fire Fig Wear self-cont	a ghting Procedure tained positive pr	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus	
yes: In case of eye c nhalation: Remove t NGESTION: Give mill loctor if you feel unv	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA	sult a physician if irriti of water and seek me rial. DO NOT induce vo Section E Water spray o	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a n 5 - Fire and Explosio xtinguishing Media:	ists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH	a ghting Procedure tained positive pr Approved or equ	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
Eyes: In case of eye c nhalation: Remove t NGESTION: Give mill doctor if you feel unv	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits	sult a physician if irriti of water and seek me rial. DO NOT induce vo Section E Water spray o	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never p n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical,	ists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH	a ghting Procedure tained positive pr	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
yes: In case of eye c nhalation: Remove t NGESTION: Give mill loctor if you feel unv	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section E Water spray o carbon dioxide involved	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never p n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical,	ists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION H/	a ghting Procedure tained positive pr Approved or equ AZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
iyes: In case of eye c nhalation: Remove t NGESTION: Give mill loctor if you feel unv ilash Point:	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product	ists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION HA	a ghting Procedure tained positive pr Approved or equ AZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
yes: In case of eye c nhalation: Remove t NGESTION: Give mill doctor if you feel unv ilash Point:	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never p n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product	ists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION HA	a ghting Procedure tained positive pr Approved or equ AZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
Eyes: In case of eye c nhalation: Remove t NGESTION: Give mill doctor if you feel unv Flash Point:	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never p n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product	ists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION HA	a ghting Procedure tained positive pr Approved or equ AZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
Eyes: In case of eye c nhalation: Remove t NGESTION: Give mill doctor if you feel unv Flash Point:	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never p n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product	ists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION HA	a ghting Procedure tained positive pr Approved or equ AZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
iyes: In case of eye c nhalation: Remove t NGESTION: Give mill loctor if you feel unv ilash Point:	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved Section of water. Floors may b	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product on 6 - Accidental Relea be slippery, use care to avoid fa	ists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION H/ ase Measures alls.	a ghting Procedure tained positive pr Approved or equ AZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
yes: In case of eye c nhalation: Remove t NGESTION: Give mill doctor if you feel unv Hash Point: NA	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA Sh to sewers with plenty	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved Section of water. Floors may b	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product on 6 - Accidental Relea be slippery, use care to avoid fa	iists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION H/ ase Measures alls.	a ghting Procedure tained positive pr Approved or equ AZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
iyes: In case of eye c nhalation: Remove t NGESTION: Give mill loctor if you feel unv 'lash Point: NA Mop up spills and flu	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA Sh to sewers with plenty	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved Section of water. Floors may b	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product on 6 - Accidental Relea be slippery, use care to avoid fa	iists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION H/ ase Measures alls.	a ghting Procedure tained positive pr Approved or equ AZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
iyes: In case of eye c nhalation: Remove t NGESTION: Give mill loctor if you feel unv 'lash Point: NA Mop up spills and flu	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA Sh to sewers with plenty	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved Section of water. Floors may b	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product on 6 - Accidental Relea be slippery, use care to avoid fa	iists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION H/ ase Measures alls.	a ghting Procedure tained positive pr Approved or equ AZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
yes: In case of eye c nhalation: Remove t NGESTION: Give mill loctor if you feel unv lash Point: NA Mop up spills and flu	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA Sh to sewers with plenty	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved Sectic of water. Floors may b Sec	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product on 6 - Accidental Relea be slippery, use care to avoid fa	iists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION H/ ase Measures alls. d Storage	a ghting Procedure tained positive pr Approved or equ AZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
yes: In case of eye c nhalation: Remove t NGESTION: Give mill doctor if you feel unv Hash Point: NA	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA sh to sewers with plenty of industrial use only, not ir	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved Sectic of water. Floors may b set ntended for consumer	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product on 6 - Accidental Relea be slippery, use care to avoid fa	iists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION H/ ase Measures alls. d Storage	a ghting Procedure tained positive pr Approved or equ AZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE	
yes: In case of eye of halation: Remove thalation: Remove the NGESTION: Give mill loctor if you feel unverse in the NA has been been been been been been been bee	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA sh to sewers with plenty industrial use only, not ir	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved Sectic of water. Floors may b Sectic Sectic	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product on 6 - Accidental Relea be slippery, use care to avoid fa estion 7 - Handling and r use. Store upright in original c	iists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION H/ ase Measures alls. d Storage closed container. htrols/PPE	ghting Procedure tained positive pr Approved or equ AZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE will not burn.	
ives: In case of eye of nhalation: Remove the NGESTION: Give mill loctor if you feel unverted in the NA in	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA sh to sewers with plenty industrial use only, not ir	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved Sectic of water. Floors may b Sectic Sectic	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product on 6 - Accidental Relea be slippery, use care to avoid fa estion 7 - Handling and use. Store upright in original c ction 8 - Exposure Cor PPE Respiratory: not normally	iists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION H/ ase Measures alls. d Storage closed container. htrols/PPE	ghting Procedure tained positive pr Approved or equ AZARD: Product S Handle in acco safety practices	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE will not burn.	
Eyes: In case of eye c nhalation: Remove t NGESTION: Give mill doctor if you feel unv Flash Point: NA Mop up spills and flu For institutional and Ingredient Godium (C10-C16)Be	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA Sh to sewers with plenty industrial use only, not ir OSHA PE	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved Sectic of water. Floors may b Sectic of water. Floors may b Sectic	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product on 6 - Accidental Relea be slippery, use care to avoid fa estion 7 - Handling and use. Store upright in original c ction 8 - Exposure Cor PPE Respiratory: not normally Eye: safety glasse	iists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION H/ ASE Measures alls. d Storage closed container. htrols/PPE required as	s	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE will not burn. eneral Hygiene Considerations: ordance with good industrial hygiene and s. Provide suitable facilities for quick ushing of the eyes and body in case of	
Eyes: In case of eye of nhalation: Remove the NGESTION: Give mill doctor if you feel unverted and the NA spectra of the	ontact, rinse with plenty o fresh air k or water to dilute mater well. Limits LEL: NA UEL: NA Sh to sewers with plenty industrial use only, not ir OSHA PE	sult a physician if irrit: of water and seek me rial. DO NOT induce vo Section Water spray o carbon dioxide involved Sectic of water. Floors may b Sectic of water. Floors may b Sectic	ation occurs dical attention if irritation pers omiting. Avoid alcohol. Never a n 5 - Fire and Explosio xtinguishing Media: r fog, foam, dry chemical, e, alcohol foam if product on 6 - Accidental Relea be slippery, use care to avoid fa estion 7 - Handling and use. Store upright in original c ction 8 - Exposure Cor PPE Respiratory: not normally	iists give anything by n n Hazard Dat Special Fire Fig Wear self-cont MSHA/NIOSH EXPLOSION H/ ase Measures alls. d Storage closed container. htrols/PPE required s required	ghting Procedure tained positive pr Approved or equ AZARD: Product S Handle in acco safety practices	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus uivalent to maintain TLV. UNUSUAL FIRE will not burn. eneral Hygiene Considerations: ordance with good industrial hygiene and s. Provide suitable facilities for quick ushing of the eyes and body in case of	

Section 9 - Physical and Chemical Properties											
				, í		Evaporation		Upper/lower	Vapor		
Appearance	odor	odor threshold	рН	Melting Point	Boiling point	rate	Flammability	flammability limits	pressure		
Green Liquid	Fresh	NE	8.5	NE	212ºF	>1.0(water =1)	No	NA	17mm(Hg)		
	Density				Partition	Auto Ignition					
Vapor Density		Specific Gravity	pH(use dil)	Solubility(H ₂ O)		temp	Viscosity	Decomposition Temp			
.62(air = 1)	8.4	1.006	8	complete	NE	NA	thin	NE			
				tion 10 - Sta							
Product is stable. Hazardous polymerization will not occur. It is incompatible with strong oxidizing agents. If burned normal combustion products such as Carbon Dioxide, Carbon Monoxide and Nitrous Oxides may occur.											
			Secti	on 11- Toxi	cological In	formation					
ingre	edient	Acute toxicity(oral LD50) rat	Acute toxicity(derm. LD50)rabbit	Skin and Eye	Carcinogen	Mutagen	Reproduct. Toxicity	STOST -single Exposure	STOST Repeated exposure		
Sodium (C10-C Sulfonate	16)Benzene	>1000mg/kg	>2000mg/kg	no info	no info	no info	no info	no info	no info		
	Section 12 - Ecological Information Section 13 - Disposal Considerations										
No information			Tormation		The products of				phazardouc		
No information available The products covered by this SDS, in their original form, are considered nonhazardous waste according to RCRA(40 CFR 261).Dispose of in accordance with applicable Federal, State and Local regulations.											
	-		Sec	tion 14 - Tra	ansport Info	ormation					
UN number			Basic Descript	ion(DOT)			Class	Packing Group	LTD QTY		
			Not Regu	lated							
Section 15 - Regulatory Information											
SARA Title 3: Does not contain reportable chemicals under sections 302, 304, or 313 of Title III of the Superfund amendments and Reauthorization Act of 1986. CERCLA:Does not contain chemicals subject to reporting under CERCLA. For more information consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68											
Section 16 - Other Information											
WHMIS:		4		HMIS:		F - 0	R - 0	PPE - A			
Date Prepared:	10 1101 2015			ļ · ·		lealth and Safety					
The information provided in this Safety Data Sheet is correct to the best of our knowledge and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with materials or in any process, unless specified in the text.											
Legend for Abbreviations: NA - not applicable NE - Not Established											